Very Low Birth Weight (< 1500) (All Births)

Very Low Birth Weight (< 1500) (All Births)

•Most recent data (2012): .9 per 100 births, including 236 newborns.
•Trend over time: 2000-12: flat

Very low birth weight (< 1500) (all births), King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	0.9	0.9	1.0	230
MOTHER'S AGE		,		
10-17	0.8	0.4	1.5	2
18-24	1.0	0.9	1.1	40
25-34	0.8	0.8	0.9	123
35-44	1.0	0.9	1.1	60
45+	4.3	2.7	6.5	4
RACE/ETHNICITY				
AIAN	0.9	0.4	1.7	2
Asian	0.9	0.8	1.0	41
Black	1.8	1.6	2.1	38
Hispanic	0.9	0.8	1.1	32
Multiple	1.1	0.8	1.4	10
NHPI	0.8	0.4	1.3	3
White	0.8	0.7	0.9	131
NEIGHBORHOOD POVERTY				
High	1.2	1.1	1.4	49
Medium	0.9	0.8	1.0	143
Low	0.7	0.6	0.8	35
REGION				
East	0.8	0.7	0.9	47
North	0.8	0.6	1.1	11
Seattle	0.9	0.8	1.0	66
South	1.0	0.9	1.1	102

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Birth Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'Rate = per 100 live births.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Very low birth weight (< 1500) (all births) King County, 2008-2012 average



Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = per 100 live births.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or range that includes true value 95%. Source: WA State DOH, Center for Health Statistics, Birth Certificates.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Too few cases to protect confidentiality and/or report reliable rates. § Too few cases to meet precision standard, interpret with caution.

Very low birth weight (< 1500) (all births) by comparison areas


The Healthy People 2020 Objective for very low birth weight (< 1500) (all births) is 1%.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2012	1.4	N/A	N/A
WA State	2012	1.1	1.0	1.1
King County	2012	0.9	0.8	1.1

Source: WAState DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015. ^Rate = per 100 live births. N/A: Not available.

CI is 95% Confidence Interval.

Very low birth weight (< 1500) (all births) by comparison areas



Source: WA State DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = per 100 live births.

|------| Confidence interval shows range that includes true value 95% of the time.

Very low birth weight (< 1500) (all births) by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	0.9	0.9	1.0	230
Aubum	0.9	0.7	1.2	9
Auburn-North	1.2	0.8	1.6	6
Auburn-South	0.6	0.3	1.0	3
Bear Creek/Carnation/Duvall	0.7	0.4	1.1	4
Bellevue	0.8	0.6	1.0	12
Bellevue-Central	1.0	0.7	1.4	6
Bellewe-NE	0.7	0.4	1.1	3
Bellevue-South	0.5	0.2	1.0	1
Bellevue-West	0.8	0.4	1.4	2
Black Diamond/Enumclaw/SE County	0.7	0.4	1.1	3
Bothell/Woodinville	0.7	0.4	1.1	3
Burien	0.9	0.6	1.2	6
Covington/Maple Valley	0.8	0.5	1.2	5
Des Moines/Normandy Park	0.9	0.6	1.4	4
East Federal Way	1.2	0.8	1.7	5
Fairwood	0.8	0.6	1.5	2
Federal Way	0.8	0.4	1.5	11
Fed Way-Central/Military Rd	0.9	0.7	1.1	6
	1.1	0.5	1.6	5
Fed Way-Dash Point/Woodmont		ļ	 	
Issaquah	0.7	0.4	1.1	3
Kenmore/LFP	0.7	0.4	1.2	3
Kent	1.4	1.2	1.6	26
Kent-East	1.4	0.9	1.9	7
Kent-SE	1.2	0.9	1.6	11
Kent-West	1.7	1.2	2.3	9
Kirkland	0.8	0.5	1.0	8
Kirkland	0.9	0.6	1.3	6
Kirkland North	0.6	0.3	1.0	3
Mercer Isle/Pt Cities	0.4	0.1	1.1	1
Newcastle/Four Creeks	0.8	0.4	1.5	2
North Highline	0.8	0.4	1.4	2
Redmond	1.0	0.7	1.4	9
Renton	1.0	0.8	1.2	18
Renton-East	0.9	0.6	1.3	4
Renton-North	1.3	0.9	1.8	6
Renton-South	0.9	0.7	1.3	7
Sammamish	0.6	0.3	1.0	3
SeaTac/Tukwila	1.2	0.9	1.5	9
Seattle	0.9	0.8	1.0	66
Ballard	0.8	0.5	1.2	5
Beacon/Gtown/S.Park	1.1	0.7	1.5	6
Capitol Hill/E.lake	0.9	0.5	1.4	3
Central Seattle	1.1	0.7	1.6	6
Delridge	1.3	0.9	1.9	7
Downtown	1.5	1.0	2.3	5
Fremont/Greenlake	0.6	0.4	1.0	4
NE Seattle	0.7	0.4	1.0	4
North Seattle	0.9	0.6	1.3	5
NW Seattle	0.6	0.4	1.0	4
QA/Magnolia	0.9	0.6	1.3	5
SE Seattle	1.2	0.9	1.7	8
West Seattle	0.8	0.5	1.1	5
Shoreline	1.1	0.7	1.5	6
Snoqualmie/North Bend/Skykomish	0.7	0.4	1.1	4
Vashon Island	1.4	0.4	3.4	1
Comparisons:		1	1 5	<u></u>

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes

Source: WAState DOH, Center for Health Statistics, Birth Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'Rate = per 100 live births.


CI is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Very low birth weight (< 1500) (all births) by health reporting areas King County, 2008-2012 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = per 100 live births.

Very low birth weight (< 1500) (all births) King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
01/15

